

SDIS Classifications Codes April 2023

Procedures performed for pelvic organ prolapse (POP) or stress urinary incontinence (SUI) diagnoses in males and females.

The table in Section 1 contains the OPCS-4 code combinations (Procedure code(s)) that should be used when coding the procedure listed in the Procedure column for male and female patients. There are other codes within OPCS-4, not listed in this table, that could also be used when coding procedures performed for POP SUI. These are listed in Section 2.

Section 1

Codes for Female (F) or Male (M) patients	Procedure	Procedure code(s)
F	Fascial Sling - Sling on a string <i>May also be described as:</i> <ul style="list-style-type: none"> • <i>Traditional retropubic sling</i> • <i>Autologous fascial sling</i> • <i>Native tissue sling</i> 	M51.3 Insertion of autologous sling Y60.- Other harvest of fascia
F	Supra-pubic sling NEC	M52.1 Supra-pubic sling operation NEC Y50.3 Vaginal approach Y60.- Other harvest of fascia
F	Fascial Sling - Aldridge sling <i>May also be described as (with fascia harvested from the abdominal wall):</i> <ul style="list-style-type: none"> • <i>Traditional retropubic sling</i> • <i>Autologous fascial sling</i> • <i>Native tissue sling</i> 	M51.3 Insertion of autologous sling Y60.3 Harvest of sheet of fascia from abdominal wall

Codes for Female (F) or Male (M) patients	Procedure	Procedure code(s)
F	Colposuspension <i>May also be described as:</i> <ul style="list-style-type: none"> • <i>Bladder neck suspension</i> • <i>Burch colposuspension</i> • <i>Burch procedure</i> 	M52.3 Colposuspension of neck of bladder Y75.- Minimal access to abdominal cavity (if performed laparoscopically)
F	Insertion of retropubic tape <i>May also be described as:</i> <ul style="list-style-type: none"> • <i>RP tape</i> • <i>Tension free vaginal tape</i> • <i>TVT</i> • <i>Retropubic tension free vaginal tape</i> • <i>Syntheticmid-urethral sling</i> 	M53.3 Introduction of tension free vaginal tape Y28.1 Insertion of synthetic mesh into organ NOC or Y28.2 Insertion of biological mesh into organ NOC or Y28.3 Insertion of composite mesh into organ NOC (if the type of mesh used is known).
F	Insertion of single incision tape <i>May also be described as:</i> <ul style="list-style-type: none"> • <i>Single incision mini-sling</i> • <i>Single incision short mesh sling</i> 	M57.1 Introduction of vaginal tape NEC Y28.1 Insertion of synthetic mesh into organ NOC or Y28.2 Insertion of biological mesh into organ NOC or Y28.3 Insertion of composite mesh into organ NOC (if the type of mesh used is known).

Codes for Female (F) or Male (M) patients	Procedure	Procedure code(s)
F	Insertion of transobturator mesh tape <i>May also be described as:</i> <ul style="list-style-type: none"> • TOT • TVTO • Transobturator tension free vaginal tape • Transobturator synthetic mid-urethral sling 	M53.6 Introduction of transobturator tape Y28.1 Insertion of synthetic mesh into organ NOC or Y28.2 Insertion of biological mesh into organ NOC or Y28.3 Insertion of composite mesh into organ NOC (if the type of mesh used is known).
M	Insertion of transobturator mesh tape <i>May also be described as:</i> <ul style="list-style-type: none"> • Transobturator sling • TOT • Transobturator synthetic midurethral sling 	M64.7 Introduction of transobturator sling Y28.1 Insertion of synthetic mesh into organ NOC or Y28.2 Insertion of biological mesh into organ NOC or Y28.3 Insertion of composite mesh into organ NOC (if the type of mesh used is known) or Y28.4 Insertion of mesh into organ NOC (where mesh is used but the type of mesh is unknown).
F	Implantation of artificial urinary sphincter	M55.2 Implantation of artificial urinary sphincter into outlet of female bladder
M	Implantation of artificial urinary sphincter	M64.2 Implantation of artificial urinary sphincter into outlet of male bladder
F	Injection of bulking agent <i>May also be described as:</i> <ul style="list-style-type: none"> • Bladder neck injection • Urethral bulking agent • UBA • Bulkamid injection • Macroplastique injection 	M56.3 Endoscopic injection of inert substance into outlet of female bladder

Codes for Female (F) or Male (M) patients	Procedure	Procedure code(s)
	POP PROCEDURES	
F	Female perineorrhaphy	P13.2 Female perineorrhaphy
F	Complete colpocleisis	P18.1 Complete colpocleisis
F	Partial colpocleisis	P18.2 Partial colpocleisis
F	Amputation of cervix uteri <i>May also be described as Manchester repair</i>	Q01.1 Amputation of cervix uteri <i>Excludes when performed with Anterior and/or posterior colporrhaphy (see instead P22.1-P22.3)</i>
F	Anterior and posterior colporrhaphy and amputation of cervix uteri <i>May also be described as:</i> <ul style="list-style-type: none"> • <i>Anterior and posterior colporrhaphy with Manchester Repair</i> • <i>Anterior and posterior repair and amputation of cervix uteri</i> • <i>Anterior and posterior repair with Manchester repair</i> • <i>Cystocele repair, rectocele repair and amputation of cervix uteri</i> 	P22.1 Anterior and posterior colporrhaphy and amputation of cervix uteri

Codes for Female (F) or Male (M) patients	Procedure	Procedure code(s)
	<ul style="list-style-type: none"> • <i>Cystocele repair, rectocele repair with Manchester repair</i> 	
F	<p>Anterior colporrhaphy and amputation of cervix uteri <i>May also be described as</i></p> <ul style="list-style-type: none"> • <i>Anterior colporrhaphy with Manchester repair</i> • <i>Anterior repair and amputation of cervix uteri</i> • <i>Anterior repair with Manchester repair</i> • <i>Cystocele repair and amputation of cervix uteri</i> • <i>Cystocele repair with Manchester repair</i> 	P22.2 Anterior colporrhaphy and amputation of cervix uteri NEC
F	<p>Posterior colporrhaphy and amputation of cervix uteri</p> <ul style="list-style-type: none"> • <i>Posterior colporrhaphy with Manchester Repair</i> • <i>Posterior repair and amputation of cervix uteri</i> • <i>Posterior repair with Manchester repair</i> 	P22.3 Posterior colporrhaphy and amputation of cervix uteri NEC

Codes for Female (F) or Male (M) patients	Procedure	Procedure code(s)
	<ul style="list-style-type: none"> • <i>Rectocele repair and amputation of cervix uteri</i> • <i>Rectocele repair with Manchester repair</i> 	
F	<p>Anterior and posterior colporrhaphy <i>May also be described as:</i></p> <ul style="list-style-type: none"> • <i>Anterior and posterior repair</i> • <i>Cystocele and rectocele repair</i> 	P23.1 Anterior and posterior colporrhaphy NEC
F	<p>Anterior colporrhaphy (no mesh reinforcement) <i>May also be described as:</i></p> <ul style="list-style-type: none"> • <i>Anterior repair</i> • <i>Cystocele repair</i> 	P23.2 Anterior colporrhaphy NEC
F	<p>Posterior colporrhaphy (no mesh reinforcement) <i>May also be described as:</i></p> <ul style="list-style-type: none"> • <i>Posterior repair</i> • <i>Rectocele repair</i> 	P23.3 Posterior colporrhaphy NEC
F	<p>Anterior colporrhaphy with mesh reinforcement <i>May also be described as:</i></p> <ul style="list-style-type: none"> • <i>Anterior repair using mesh</i> 	P23.6 Anterior colporrhaphy with mesh reinforcement Y28.1 Insertion of synthetic mesh into organ NOC or Y28.2 Insertion of biological mesh into organ NOC or Y28.3 Insertion of composite mesh into organ NOC (if the type of mesh used is known).

Codes for Female (F) or Male (M) patients	Procedure	Procedure code(s)
	<ul style="list-style-type: none"> • <i>Cystocele repair using mesh</i> 	
F	Posterior colporrhaphy with mesh reinforcement <i>May also be described as:</i> <ul style="list-style-type: none"> • <i>Posterior repair using mesh</i> • <i>Rectocele repair using mesh</i> 	P23.7 Posterior colporrhaphy with mesh reinforcement Y28.1 Insertion of synthetic mesh into organ NOC or Y28.2 Insertion of biological mesh into organ NOC or Y28.3 Insertion of composite mesh into organ NOC (if the type of mesh used is known).
F	Repair of enterocele NEC <i>May also be described as rectoenterocele repair</i>	P23.4 Repair of enterocele NEC
F	Paravaginal repair	P23.5 Paravaginal repair Y75.- Minimal access to abdominal cavity (if performed laparoscopically)
F	Sacrocolpopexy	P24.2 Sacrocolpopexy Y75.- Minimal access to abdominal cavity (if performed laparoscopically) Y28.1 Insertion of synthetic mesh into organ NOC, Y28.2 Insertion of biological mesh into organ NOC or Y28.3 Insertion of composite mesh into organ NOC (where mesh is used and the type of mesh used is known) or Y28.4 Insertion of mesh into organ NOC (where mesh is used but the type of mesh is unknown).
F	Anterior (or posterior) repair of vaginal vault using mesh	P24.6 Repair of vault of vagina with mesh using vaginal approach Y28.1 Insertion of synthetic mesh into organ NOC, Y28.2 Insertion of biological mesh into organ NOC or Y28.3 Insertion of composite mesh into organ NOC (if the type of mesh used is known).

Codes for Female (F) or Male (M) patients	Procedure	Procedure code(s)
F	Sacrohysteropexy <i>May also be described as</i> <ul style="list-style-type: none"> • <i>Hysteropexy</i> • <i>Sacrocolpohysteropexy</i> • <i>Sacro cervicopexy</i> 	Q54.5 Sacrohysteropexy Y75.- Minimal access to abdominal cavity (if performed laparoscopically) Y28.1 Insertion of synthetic mesh into organ NOC, Y28.2 Insertion of biological mesh into organ NOC or Y28.3 Insertion of composite mesh into organ NOC (where mesh is used and the type of mesh used is known) or Y28.4 Insertion of mesh into organ NOC (where mesh is used but the type of mesh is unknown).
F	Laparoscopic suture hysteropexy	Q54.5 Sacrohysteropexy Y75.- Minimal access to abdominal cavity
F	Posterior intravaginal slingplasty	Q54.6 Infracoccygeal hysteropexy Y28.1 Insertion of synthetic mesh into organ NOC or Y28.2 Insertion of biological mesh into organ NOC or Y28.3 Insertion of composite mesh into organ NOC (where mesh is used and the type of mesh used is known) or Y28.4 Insertion of mesh into organ NOC (where mesh is used but the type of mesh is unknown).
F	Sacrospinous fixation of vagina <i>May also be described as</i> <i>Sacrospinous colpexy</i>	P24.7 Sacrospinous fixation of vagina
F	Sacrospinous fixation of cervix uteri/ <i>Sacrospinous cervicopexy</i>	Q57.2 Sacrospinous fixation of uterus Y50.3 Vaginal approach
F	Sacrospinous fixation of uterus/ <i>Sacrospinous hysteropexy</i>	Q57.2 Sacrospinous fixation of uterus Y50.3 Vaginal approach
F	Vaginal hysterectomy for pelvic organ prolapse	Q08.- Vaginal excision of uterus

Codes for Female (F) or Male (M) patients	Procedure	Procedure code(s)
F	Sacrospinous fixation of the uterus using mesh	Q57.2 Sacrospinous fixation of uterus Y28.1 Insertion of synthetic mesh into organ NOC or Y28.2 Insertion of biological mesh into organ NOC or Y28.3 Insertion of composite mesh into organ NOC (if the type of mesh used is known), or Y28.4 Insertion of mesh into organ NOC (where mesh is used but the type of mesh is unknown).
F	Infracoccygeal hysteropexy <i>May also be described as Infracoccygeal uterine mesh suspension</i>	Q54.6 Infracoccygeal hysteropexy Y28.1 Insertion of synthetic mesh into organ NOC or Y28.2 Insertion of biological mesh into organ NOC or Y28.3 Insertion of composite mesh into organ NOC (where mesh is used and the type of mesh used is known) or Y28.4 Insertion of mesh into organ NOC (where mesh is used but the type of mesh is unknown).
F	Iliococcygeal fixation of vagina	P24.7 Sacrospinous fixation of vagina
F	Infracoccygeal colpexy <i>May also be described as Infracoccygeal vault mesh suspension</i>	P24.6 Repair of vault of vagina with mesh using vaginal approach Y28.1 Insertion of synthetic mesh into organ NOC or Y28.2 Insertion of biological mesh into organ NOC or Y28.3 Insertion of composite mesh into organ NOC (if the type of mesh used is known).
F	Uterosacral plication	Q57.4 Plication of uterosacral ligament+Y75.- Minimal access to abdominal cavity (if performed laparoscopically)
F	McCall culdoplasty	P31.1 Culdoplasty Y75.- Minimal access to abdominal cavity (if performed laparoscopically)

Procedures performed for complications:

Codes for Female (F) or Male (M) patients	Procedure	Procedure code(s)
F	<p>Total removal of retropubic tape <i>May also be described as total removal of:</i></p> <ul style="list-style-type: none"> • <i>RP tape</i> • <i>tension free vaginal tape</i> • <i>TVT</i> • <i>retropubic tension free vaginal tape</i> • <i>synthetic midurethral sling.</i> 	<p>Combined abdominal (open) and vaginal approach: M53.4 Total removal of tension-free vaginal tape Y50.3 Vaginal approach Y50.2 Laparotomy approach NEC</p> <p>Combined Laparoscopic and vaginal approach: M53.4 Total removal of tension-free vaginal tape Y50.3 Vaginal approach Y75.- Minimal access to abdominal cavity</p>
F	<p>Partial removal of retropubic tape <i>May also be described as partial removal of:</i></p> <ul style="list-style-type: none"> • <i>RP tape</i> • <i>tension free vaginal tape</i> • <i>TVT</i> • <i>retropubic tension free vaginal tape. Partial removal may involve removing vaginal, abdominal or subcuticular portions of the tape.</i> 	<p>Vaginal approach: M53.5 Partial removal of tension-free vaginal tape Y50.3 Vaginal approach</p> <p>Laparoscopic approach: M53.5 Partial removal of tension free-free vaginal tape Y75.- Minimal access to abdominal cavity</p> <p>Abdominal (open) approach: M53.5 Partial removal of tension free-free vaginal tape Y50.2 Laparotomy approach NEC</p>
F	<p>Endoscopic/cystoscopic transurethral removal of retropubic tape, tension free vaginal tape</p>	<p>Urethra: M78.1 Endoscopic removal of mesh from urethra</p>

Codes for Female (F) or Male (M) patients	Procedure	Procedure code(s)
	(TVT) or transobturator tape (TOT) mesh erosion from urethra or bladder	<p>Y26.6 Partial removal of mesh from organ NOC or Y26.7 Total removal of mesh from organ NOC</p> <p>Bladder: M44.5 Endoscopic removal of mesh from bladder Y26.6 Partial removal of mesh from organ NOC or Y26.7 Total removal of mesh from organ NOC</p>
F	<p>Total removal of transobturator mesh tape <i>May also be described as total removal of:</i></p> <ul style="list-style-type: none"> • <i>TOT</i> • <i>TVTO</i> • <i>transobturator tension free vaginal tape.</i> 	<p>Combined vaginal and groin incision/dissection approach: M53.7 Total removal of transobturator tape Y50.3 Vaginal approach Y77.2 Approach to organ through groin</p> <p>Combined abdominal (open), vaginal and groin incision/dissection approach M53.7 Total removal of transobturator tape Y50.2 Laparotomy approach NEC Y50.3 Vaginal approach Y77.2 Approach to organ through groin</p> <p>Combined laparoscopic and vaginal and groin incision/dissection approach: M53.7 Total removal of transobturator tape Y75.- Minimal access to abdominal cavity Y50.3 Vaginal approach Y77.2 Approach to organ through groin</p>
M	Total removal of transobturator mesh tape	<p>M60.5 Total removal of transobturator sling Y75.- Minimal access to abdominal cavity (if performed laparoscopically) Y26.7 Total removal of mesh from organ NOC</p>

Codes for Female (F) or Male (M) patients	Procedure	Procedure code(s)
	<p><i>May also be described as total removal of:</i></p> <ul style="list-style-type: none"> • TOT • <i>Transobturator synthetic sling</i> 	
F	<p>Partial removal of transobturator mesh tape <i>May also be described as partial removal of:</i></p> <ul style="list-style-type: none"> • TOT • TVTO • <i>transobturator tension free vaginal tape.</i> <p><i>Partial removal may include removing vaginal, abdominal or subcuticular portions of the tape.</i></p>	<p>Vaginal approach: M57.4 Partial removal of transobturator tape Y50.3 Vaginal approach</p> <p>Groin dissection approach: M57.4 Partial removal of transobturator tape Y77.2 Approach to organ through groin</p>
M	<p>Partial removal of transobturator mesh tape from men <i>May also be described as:</i></p> <ul style="list-style-type: none"> • <i>Partial removal of TOT</i> • <i>partial removal of transobturator synthetic sling</i> 	<p>M60.6 Partial removal of transobturator sling Y26.6 Partial removal of mesh from organ NOC</p>
F	<p>Removal of single incision tape, single incision mini-sling or single incision short mesh sling</p>	<p>Total removal - Vaginal approach: M57.2 Total removal of vaginal tape NEC Y50.3 Vaginal approach</p>

Codes for Female (F) or Male (M) patients	Procedure	Procedure code(s)
	Partial removal may include the removal of hooks or anchors.	<p>Y77.2 Approach to organ through groin (where groin dissection approach is also used)</p> <p>Partial removal - Vaginal approach: M57.3 Partial removal of vaginal tape NEC Y50.3 Vaginal approach</p> <p>Partial removal - Groin dissection approach: M57.3 Partial removal of vaginal tape NEC Y77.2 Approach to organ through groin</p>
F	Removal of artificial urinary sphincter - female	M54.3 Removal of artificial urinary sphincter from outlet of female bladder
M	Removal of artificial urinary sphincter - male	M60.3 Removal of artificial urinary sphincter from outlet of male bladder
F	Renewal of artificial urinary sphincter – female (<i>where removal and insertion are done during the same theatre visit</i>)	M54.4 Attention to artificial urinary sphincter in outlet of female bladder Y03.2 Renewal of prosthesis in organ NOC
M	Renewal of artificial urinary sphincter – male (<i>where removal and insertion done during different theatre visits</i>)	<p>Removal: M60.3 Removal of artificial urinary sphincter from outlet of male bladder</p> <p>Reinsertion: M64.2 Implantation of artificial urinary sphincter into outlet of male bladder</p>
F	Renewal of artificial urinary sphincter – female (<i>where removal</i>	<p>Removal: M54.3 Removal of artificial urinary sphincter from outlet of female bladder</p>

Codes for Female (F) or Male (M) patients	Procedure	Procedure code(s)
	<i>and insertion are done during different theatre visits)</i>	Reinsertion: M55.2 Implantation of artificial urinary sphincter into outlet of female bladder
M	Renewal of artificial urinary sphincter – male (<i>where removal and insertion are done during the same theatre visit</i>)	M60.4 Attention to artificial urinary sphincter in outlet of male bladder Y03.2 Renewal of prosthesis in organ NOC
F	Endoscopic removal of bulking agent <i>May also be described as endoscopic removal of bladder neck bulking agent</i>	M56.4 Endoscopic removal of inert substance from outlet of female bladder
F	Removal of bulking agent via vaginal incision <i>May also be described as removal of bladder neck bulking agent via vaginal incision</i>	M58.3 Removal of inert substance from outlet of female bladder Y50.3 Vaginal approach
F	Removal of mesh inserted during previous repair of vaginal prolapse	Total removal: P28.1 Total removal of prosthetic material from previous repair of vaginal prolapse Y50.3 Vaginal approach (if performed vaginally) or Y77.2 Approach to organ through groin (if groin incision/dissection approach) Y26.7 Total removal of mesh from organ NOC Partial removal: P28.2 Partial removal of prosthetic material from previous repair of vaginal prolapse

Codes for Female (F) or Male (M) patients	Procedure	Procedure code(s)
		Y50.3 Vaginal approach (if performed vaginally) or Y77.2 Approach to organ through groin (if groin incision/dissection approach) Y26.6 Partial removal of mesh from organ NOC
F	Removal of mesh implanted during previous repair of vaginal vault prolapse, i.e previous sacrocolpopexy	Total removal: P30.1 Total removal of prosthetic material from previous repair of vaginal vault Y75.- Minimal access to abdominal cavity (if performed laparoscopically) or Y50.3 Vaginal approach (if performed vaginally) Y26.7 Total removal of mesh from organ NOC Partial removal: P30.2 Partial removal of prosthetic material from previous repair of vaginal vault Y75.- Minimal access to abdominal cavity (if performed laparoscopically) or Y50.3 Vaginal approach (if performed vaginally) Y26.6 Partial removal of mesh from organ NOC
F	Removal of mesh implanted during previous repair of uterine prolapse, i.e previous sacrohysteropexy	Total removal: Q54.7 Total removal of prosthetic material from previous suspension of uterus Y75.- Minimal access to abdominal cavity (if performed laparoscopically) or Y50.3 Vaginal approach (if performed vaginally) Y26.7 Total removal of mesh from organ NOC Partial removal: Q57.1 Partial removal of prosthetic material from previous suspension of uterus

Codes for Female (F) or Male (M) patients	Procedure	Procedure code(s)
		Y75.- Minimal access to abdominal cavity (if performed laparoscopically) or Y50.3 Vaginal approach (if performed vaginally) Y26.6 Partial removal of mesh from organ NOC
F	Oversew of exposed vaginal mesh/ tape	P29.6 Oversewing of mesh in vagina Y50.3 Vaginal approach
F	Division of suburethral tape NEC	M57.7 Division of vaginal tape NEC
F	Division of tension-free vaginal tape	M57.5 Division of tension-free vaginal tape
F	Division of transobturator tape	M57.6 Division of transobturator tape
F	Plication of mesh inserted for previous sacrocolpopexy	P30.3 Plication of mesh previously inserted for suspension of vaginal vault Y75.- Minimal access to abdominal cavity (if performed laparoscopically)
F	Plication of mesh inserted for previous sacrohysteropexy or sacrocervicopexy	Q57.3 Plication of mesh previously inserted for suspension of uterus Y75.- Minimal access to abdominal cavity (if performed laparoscopically)
F	Martius fat grafts	Code describing the structure that is being repaired Y67.2 Harvest of composite of skin and fat Z44.7 Labia
F	Buttock dissection <i>Code in addition when performed with removal of mesh.</i>	T83.4 Exploration of muscle Z90.1 Buttock NEC

OPCS-4 Procedure Codes for Rectal Prolapse Procedures

Codes for Female (F) or Male (M) patients	Procedure	Procedure code(s)
F and M	<p>Ventral mesh rectopexy for rectal prolapse</p> <p><i>May also be described as:</i></p> <ul style="list-style-type: none"> • <i>Anterior rectopexy with mesh</i> • <i>VMR</i> 	<p>H35.5 Anterior fixation of rectum using prosthetic material Y75.- Minimal access to abdominal cavity (if performed laparoscopically) Y28.1 Insertion of synthetic mesh into organ NOC, Y28.2 Insertion of biological mesh into organ NOC or Y28.3 Insertion of composite mesh into organ NOC (where mesh is used and the type of mesh used is known) or Y28.4 Insertion of mesh into organ NOC (where mesh is used but the type of mesh is unknown).</p> <p>The following ICD-10 codes would be assigned in a patient with rectal prolapse: K62.3 Rectal prolapse</p>
F and M	Abdominal posterior resection rectopexy	<p>H35.2 Posterior fixation of rectum using prosthetic material Y28.1 Insertion of synthetic mesh into organ NOC, Y28.2 Insertion of biological mesh into organ NOC or Y28.3 Insertion of composite mesh into organ NOC (where mesh is used and the type of mesh used is known) or Y28.4 Insertion of mesh into organ NOC (where mesh is used but the type of mesh is unknown).</p> <p>or</p> <p>H35.3 Posterior fixation of rectum NEC</p> <p>A code from the category H10 Excision of sigmoid colon, would also be assigned where a sigmoid resection has been performed.</p> <p>Note that these codes are not specific to Abdominal posterior resection rectopexy and other codes may be assigned depending on the information documented within the medical record.</p>

Codes for Female (F) or Male (M) patients	Procedure	Procedure code(s)
F and M	Open rectopexy	<p>H35.- Fixation of rectum for prolapse</p> <p>Where mesh is used one of the following combinations would be assigned depending on whether the procedure was an anterior or posterior fixation: H35.2 Posterior fixation of rectum using prosthetic material Y28.1 Insertion of synthetic mesh into organ NOC, Y28.2 Insertion of biological mesh into organ NOC or Y28.3 Insertion of composite mesh into organ NOC (where mesh is used and the type of mesh used is known) or Y28.4 Insertion of mesh into organ NOC (where mesh is used but the type of mesh is unknown).</p> <p>or</p> <p>H35.5 Anterior fixation of rectum using prosthetic material Y28.1 Insertion of synthetic mesh into organ NOC, Y28.2 Insertion of biological mesh into organ NOC or Y28.3 Insertion of composite mesh into organ NOC (where mesh is used and the type of mesh used is known) or Y28.4 Insertion of mesh into organ NOC (where mesh is used but the type of mesh is unknown).</p>
F and M	Perineal procedure for prolapse of rectum	<p>H42.- Perineal operations for prolapse of rectum</p> <p>Note that there may be other OPCS-4 codes that could be assigned for a perineal procedure for prolapse of rectum.</p>

Codes for Female (F) or Male (M) patients	Procedure	Procedure code(s)
		The ICD-10 code K62.3 Rectal prolapse would be assigned in a patient with rectal prolapse
F and M	Delorme procedure	<p>H42.5 Excision of mucosal prolapse of rectum NEC or, H33.7 Perineal resection of rectum HFQ or, H42.6 Perineal repair of prolapse of rectum NEC or, H42.8 Other specified perineal operations for prolapse of rectum</p> <p>Note that OPCS-4 does not specifically classify eponyms such as Delorme therefore there may be other OPCS-4 codes that could be assigned for this procedure depending on how the procedure is described in the medical record.</p> <p>The ICD-10 code K62.3 Rectal prolapse would be assigned in a patient with rectal prolapse</p>
F and M	Altemeier procedure	<p>H33.7 Perineal resection of rectum HFQ</p> <p>Note that OPCS-4 does not specifically classify eponyms such as Altemeier therefore there may be other OPCS-4 codes that could be assigned for this procedure depending on how the procedure is described in the medical record.</p> <p>The ICD-10 code K62.3 Rectal prolapse would be assigned in a patient with rectal prolapse</p>

Other Procedures

Codes for Female (F) or Male (M) patients	Procedure	Procedure code(s)
F	Correction of vesicovaginal fistula	P25.1 Repair of vesicovaginal fistula
F	Excision of diverticulum of urethra	<p>M72.3 Excision of lesion of urethra NEC Y50.3 Vaginal approach (if performed vaginally)</p> <p>One of the following ICD-10 codes would be assigned in a patient with urethral diverticulum:</p> <p>N36.1 Urethral diverticulum Q64.7 Other congenital malformations of bladder and urethra Q64.7 includes but is not limited to congenital urethral diverticulum, therefore where this code is present with OPCS-4 code M72.3 it is possible that the procedure has been performed for a different diagnosis.</p>
F and M	<p>Sacral neuromodulation for refractory overactive bladder syndrome, non-obstructive urinary retention or bladder / pelvic pain.</p> <p><i>May also be referred to as:</i></p> <ul style="list-style-type: none"> • SNS • Sacral nerve stimulation 	<p>First stage – implantation of electrodes temporarily to test whether the intervention is likely to be effective:</p> <p>A70.4 Insertion of neurostimulator electrodes adjacent to peripheral nerve Y70.5 Temporary operations Z11.2 Sacral nerve</p> <p>Second stage – implantation of permanent neurostimulator implanted:</p> <p>A70.1 Implantation of peripheral nerve neurostimulator Z11.2 Sacral nerve</p> <p>One of the following ICD-10 codes would be assigned:</p> <p>Refractory overactive bladder syndrome:</p>

Codes for Female (F) or Male (M) patients	Procedure	Procedure code(s)
		<p>N32.8 Other specified disorders of bladder N32.8 includes but is not limited to overactive bladder</p> <p>Non-obstructive urinary retention: R33.X Retention of urine</p> <p>Bladder pain: R39.8 Other and unspecified symptoms and signs involving the urinary system R39.8 includes but is not limited to bladder pain</p> <p>Pelvic pain: R10.2 Pelvic and perineal pain</p>

Section 2

Codes for Female (F) or Male (M) patients	Procedure code(s)
F	P24.1 Repair of vault of vagina using combined abdominal and vaginal approach
F	P24.5 Repair of vault of vagina with mesh using abdominal approach
F	P22.8 Other specified repair of prolapse of vagina and amputation of cervix uteri
F	P22.9 Unspecified repair of prolapse of vagina and amputation of cervix uteri
F	P23.8 Other specified other repair of prolapse of vagina
F	P23.9 Unspecified other repair of prolapse of vagina
F	Q54.1 Suspension of uterus NEC
F	Q54.4 Suspension of uterus using mesh NEC

Codes for Female (F) or Male (M) patients	Procedure code(s)
F	Q54.8 Other specified operations on other ligament of uterus
F and M	H33.3 Anterior resection of rectum and anastomosis of colon to rectum using staples
F and M	H33.4 Anterior resection of rectum and anastomosis NEC