

Health and Social Care Information Centre

NHS Data Model and Dictionary Service

Type: Change Request
Reference: 1494
Version No: 1.0
Subject: Female Genital Mutilation Data Set
Effective Date: 1 April 2015
Reason for Change: New data set
Publication Date: 11 March 2015

Background:

Female Genital Mutilation (FGM) is illegal in the United Kingdom, as is taking a child abroad to undergo FGM. The Female Genital Mutilation Data Set requires organisations to record, collect and report detailed information about FGM within the patient population, as treated by the NHS in England.

This Change Request adds the Female Genital Mutilation Data Set and supporting definitions to the NHS Data Model and Dictionary to support the Information Standard.

To view a demonstration on "How to Read an NHS Data Model and Dictionary Change Request", visit the NHS Data Model and Dictionary help pages at: http://www.datadictionary.nhs.uk/Flash_Files/changerequest.htm.

Note: if the web page does not open, please copy the link and paste into the web browser.

Summary of changes:

Data Set

[FEMALE GENITAL MUTILATION DATA SET](#)

New Data Set

Supporting Information

[CLINICAL DATA SETS MENU](#)

Changed Description

[FEMALE GENITAL MUTILATION DATA SET OVERVIEW](#)

New Supporting Information

Class Definitions

[ACTIVITY GROUP](#)

Changed Attributes

[CARE CONTACT](#)

Changed Attributes

[CLINICAL INTERVENTION](#)

Changed Attributes

[PATIENT DIAGNOSIS](#)

Changed Attributes

[REFERRAL REQUEST](#)

Changed Attributes

Attribute Definitions

[DAUGHTER BORN AT THIS ENCOUNTER INDICATOR](#)

New Attribute

[DEINFIBULATION UNDERTAKEN REASON](#)

New Attribute

[FEMALE GENITAL MUTILATION AGE CATEGORY](#)

Changed Description

[FEMALE GENITAL MUTILATION IDENTIFICATION METHOD CODE](#)

New Attribute

[FEMALE GENITAL MUTILATION TYPE 4 CODE](#)

New Attribute

[HISTORY OF FEMALE GENITAL MUTILATION INDICATOR](#)

New Attribute

[INFORMATION AND ADVICE TYPE PROVIDED FOR FEMALE GENITAL MUTILATION](#)

New Attribute

[PREGNANCY STATUS](#)

Changed Description

New Attribute

[REGION OF COUNTRY CODE FOR FEMALE GENITAL MUTILATION DATA SET](#)

[SOURCE OF REFERRAL FOR FEMALE GENITAL MUTILATION](#)

New Attribute

Data Elements

[ADVISED OF HEALTH IMPLICATIONS INDICATOR](#)

New Data Element

[ADVISED OF LEGAL IMPLICATIONS INDICATOR](#)

New Data Element

[COUNTRY CODE \(BIRTH\)](#)

Changed Description

[COUNTRY CODE \(FATHER BIRTH\)](#)

New Data Element

[COUNTRY CODE \(FATHER ORIGIN\)](#)

New Data Element

[COUNTRY CODE \(FEMALE GENITAL MUTILATION PERFORMED\)](#)

New Data Element

[COUNTRY CODE \(ORIGIN\)](#)

New Data Element

[DAUGHTER BORN AT THIS ENCOUNTER INDICATOR](#)

New Data Element

[DEINFIBULATION UNDERTAKEN REASON](#)

New Data Element

[FEMALE GENITAL MUTILATION AGE CATEGORY](#)

Changed Description

[FEMALE GENITAL MUTILATION FAMILY HISTORY INDICATOR](#)

New Data Element

[FEMALE GENITAL MUTILATION IDENTIFICATION METHOD CODE](#)

New Data Element

[FEMALE GENITAL MUTILATION IDENTIFIED TYPE CODE](#)

New Data Element

[FEMALE GENITAL MUTILATION TYPE 4 CODE](#)

New Data Element

[NUMBER OF DAUGHTERS UNDER 18](#)

New Data Element

[PREGNANCY STATUS INDICATOR](#)

New Data Element

[REGION OF COUNTRY CODE FOR FEMALE GENITAL MUTILATION \(ORIGIN\)](#)

New Data Element

[SOURCE OF REFERRAL FOR FEMALE GENITAL MUTILATION](#)

New Data Element

Date: 11 March 2015

Sponsor: Flora Goldhill, Director of Children, Family & Maternity and Health Inequalities, Department of Health

Note: New text is shown with a blue background. Deleted text is crossed out. Retired text is shown in grey. Within the Diagrams deleted classes and relationships are red, changed items are blue and new items are green.

FEMALE GENITAL MUTILATION DATA SET

Change to Data Set: New Data Set

[Female Genital Mutilation Data Set Overview](#)

The Mandatory, Required or Optional (M/R/O) column indicates the recommendation for the inclusion of data.

- M = Mandatory: this data element is mandatory and the technical process (e.g. submission of the data set, production of output etc) cannot be completed without this data element being present
- R = Required: NHS business processes cannot be delivered without this data element
- O = Optional: the inclusion of this data element is optional as required for local purposes.

PATIENT

To carry details pertaining to the patient. One occurrence of this group is required.

M/R/O	Data Set Data Elements
M	ORGANISATION CODE (CODE OF PROVIDER)
R	NHS NUMBER
M	LOCAL PATIENT IDENTIFIER (EXTENDED)
M	PERSON BIRTH DATE
M	POSTCODE OF USUAL ADDRESS
M	PERSON GIVEN NAME (FIRST)

M	<u>PERSON FAMILY NAME</u>
R	<u>COUNTRY CODE (BIRTH)</u>
R	<u>COUNTRY CODE (ORIGIN)</u>
O	<u>REGION OF COUNTRY CODE FOR FEMALE GENITAL MUTILATION (ORIGIN)</u>
R	<u>GENERAL MEDICAL PRACTICE CODE (PATIENT REGISTRATION)</u>

CARE CONTACT

**To carry details of the care contact.
One occurrence of this group is required.**

M/R/O	Data Set Data Elements
M	<u>ORGANISATION CODE (CODE OF PROVIDER)</u>
R	<u>NHS NUMBER</u>
M	<u>LOCAL PATIENT IDENTIFIER (EXTENDED)</u>
M	<u>PERSON BIRTH DATE</u>
M	<u>CARE CONTACT DATE</u>
R	<u>SOURCE OF REFERRAL FOR FEMALE GENITAL MUTILATION</u>
R	<u>REFERRING ORGANISATION CODE</u>
R	<u>SITE CODE (OF TREATMENT)</u>
R	<u>ACTIVITY TREATMENT FUNCTION CODE</u>
R	<u>PREGNANCY STATUS INDICATOR</u>
M	<u>FEMALE GENITAL MUTILATION IDENTIFICATION METHOD CODE</u>
R	<u>FEMALE GENITAL MUTILATION FAMILY HISTORY INDICATOR</u>
R	<u>NUMBER OF DAUGHTERS UNDER 18</u>
R	<u>ADVISED OF HEALTH IMPLICATIONS INDICATOR</u>
R	<u>ADVISED OF LEGAL IMPLICATIONS INDICATOR</u>
R	<u>DAUGHTER BORN AT THIS ENCOUNTER INDICATOR</u>
O	<u>COUNTRY CODE (FATHER BIRTH)</u>
O	<u>COUNTRY CODE (FATHER ORIGIN)</u>

FEMALE GENITAL MUTILATION

**To carry female genital mutilation details.
One occurrence of this group is required.**

M/R/O	Data Set Data Elements
M	<u>ORGANISATION CODE (CODE OF PROVIDER)</u>
R	<u>NHS NUMBER</u>
M	<u>LOCAL PATIENT IDENTIFIER (EXTENDED)</u>
M	<u>PERSON BIRTH DATE</u>
M	<u>CARE CONTACT DATE</u>
R	<u>FEMALE GENITAL MUTILATION IDENTIFIED TYPE CODE</u>
O	<u>FEMALE GENITAL MUTILATION TYPE 4 CODE</u>
R	<u>DEINFIBULATION UNDERTAKEN REASON</u>
R	<u>FEMALE GENITAL MUTILATION AGE CATEGORY</u>
R	<u>COUNTRY CODE (FEMALE GENITAL MUTILATION PERFORMED)</u>

CLINICAL DATA SETS MENU

Change to Supporting Information: Changed Description

- [Message Documentation](#)
- [Cancer Outcomes and Services Data Set](#)
- [Child and Adolescent Mental Health](#)
- [Children and Young Peoples Health](#)
- [Chlamydia Testing Activity](#)
- [Community Information](#)
- [Diabetes \(Summary Core\)](#)
- [Diagnostic Imaging](#)
- [Female Genital Mutilation](#)
- [Genitourinary Medicine Clinic Activity](#)
- [HIV and AIDS Reporting](#)
- [Improving Access to Psychological Therapies](#)
- [Maternity Services](#)
- [Mental Health and Learning Disabilities](#)
- [National Cancer Waiting Times Monitoring](#)
- [National Neonatal](#)
- [National Renal](#)
- [NHS Health Checks](#)
- [Radiotherapy](#)
- [Sexual and Reproductive Health Activity](#)
- [Systemic Anti-Cancer Therapy](#)

FEMALE GENITAL MUTILATION DATA SET OVERVIEW

Change to Supporting Information: New Supporting Information

Contextual Overview

The [Female Genital Mutilation Data Set](#) provides essential information in relation to the female genital mutilation population across England.

The [Female Genital Mutilation Data Set](#) is used:

- To publish Official Statistics which will inform the [Department of Health, NHS England](#), other Government Agencies and the public, about female genital mutilation when it has been identified
- To identify the potential risk of female genital mutilation to young girls and vulnerable women
- For better planning and management of female genital mutilation [SERVICES](#) at a local level and across England

Data may be input immediately using an input screen via the [HSCIC Clinical Audit Platform](#) when female genital mutilation is identified, or data extracts for Patients, can be submitted as a bulk upload on a monthly basis for each [ORGANISATION](#).

[CARE CONTACT](#) activities undertaken for female genital mutilation [PATIENTS](#) during the [REPORTING PERIOD](#) are reported in the data upload. This includes any attendances at an [Out-Patient Clinic](#) led by any type of [CARE PROFESSIONAL](#), [Hospital Provider Spells](#), [Accident and Emergency Attendances](#), [Group Therapy](#), [Ward Attendances](#); or any other type of direct [PATIENT-facing CARE CONTACT](#).

The associated [SNOMED CT Subsets](#) for the [Female Genital Mutilation Data Set](#) are listed below:

- Female genital mutilation related findings - Original ID 58681000000133
- Female genital mutilation related procedures - Original ID 58671000000131

DATA EXTRACT SPECIFICATION

Description:

The Department of Health requires all NHS Trusts, NHS Foundation Trusts and GENERAL MEDICAL PRACTITIONERS to generate and provide a data extract in accordance with the Female Genital Mutilation Data Set. This requirement is applicable to all CARE PROFESSIONALS in these ORGANISATIONS whenever it has been identified that a woman or young girl has undergone female genital mutilation.

Time period:

Data extracted from systems can be submitted as a bulk upload on a monthly basis for each ORGANISATION.

Format:

Data submitted by the bulk upload facility must be formatted in 3 separate comma separated variable (csv) files (i.e. Patient, Attendance or Female Genital Mutilation), which are used to populate the Health and Social Care Information Centre Clinical Audit Platform. The data elements should be transmitted in the order specified in the Female Genital Mutilation Data Set.

Transmission

Electronic files must be transmitted to the Health and Social Care Information Centre via the Clinical Audit Platform which is a secure web portal.

Connection to the web portal requires registration to the Clinical Audit Platform, which will include the provision of a login account name and password.

Further information about the Clinical Audit Platform and the data upload facility can be found on the Clinical Audit Platform web pages on the Health and Social Care Information Centre website.

Further guidance on the Female Genital Mutilation Data Set can be found on the Standardisation Committee for Care Information publication web pages on the Health and Social Care Information Centre website.

ACTIVITY GROUP

Change to Class: Changed Attributes

Attributes of this Class are:

- A and E INCIDENT LOCATION TYPE
- A and E PATIENT GROUP
- ACTIVITY GROUP TYPE
- ADMISSION METHOD
- ASSAULT METHOD
- BABY FIRST FEED BREAST MILK STATUS
- BREASTFEEDING STATUS
- CANCER OR SYMPTOMATIC BREAST REFERRAL PATIENT STATUS
- CANCER REFERRAL TO TREATMENT PERIOD START DATE
- CANCER SCREENING STATUS
- CANCER SPECIALIST REFERRAL DATE
- CANCER TREATMENT INTENT
- CANCER TREATMENT PERIOD START DATE
- CARE PROGRAMME APPROACH LEVEL
- CARE PROGRAMME APPROACH REVIEW ABUSE QUESTION ASKED INDICATOR
- CARER RESIDENT INDICATION CODE FOR NATIONAL NEONATAL DATA SET
- CHILD AND ADOLESCENT MENTAL HEALTH INTERVENTION TYPE
- CHILDREN TEENAGERS AND YOUNG ADULTS AGE CATEGORY
- COMPLEX SOCIAL FACTORS INDICATOR

DAUGHTER BORN AT THIS ENCOUNTER INDICATOR
DELIVERY PLACE CHANGE REASON
DISCHARGE DESTINATION
DISCHARGED TO HOSPITAL AT HOME SERVICE INDICATOR
DISCHARGE FROM MENTAL HEALTH SERVICE REASON
DISCHARGE METHOD
ESTIMATED DATE OF DELIVERY
ESTIMATED DATE OF DELIVERY METHOD
FEMALE GENITAL MUTILATION AGE CATEGORY
FIRST REGULAR DAY OR NIGHT ADMISSION
IMPROVING ACCESS TO PSYCHOLOGICAL THERAPIES CARE SPELL END CODE
IMPROVING ACCESS TO PSYCHOLOGICAL THERAPIES OPT IN DATE
IMPROVING ACCESS TO PSYCHOLOGICAL THERAPIES STEPPED CARE INTENSITY DELIVERED
INCIDENT TYPE
IN LABOUR BEFORE CAESARIAN SECTION INDICATOR
INTENDED DELIVERY PLACE
INTRAVESICAL CHEMOTHERAPY RECEIVED INDICATOR
INTRAVESICAL IMMUNOTHERAPY RECEIVED INDICATOR
KEY WORKER SEEN INDICATOR
LENGTH OF STAY ADJUSTMENT
LENGTH OF STAY ADJUSTMENT REASON
MATERNAL CRITICAL INCIDENT TYPE
MECONIUM PRESENT IN LIQUOR INDICATOR
MENTAL HEALTH ABSOLUTE DISCHARGE END METHOD
MENTAL HEALTH CONDITIONAL DISCHARGE END REASON
MENTAL HEALTH DELAYED DISCHARGE ATTRIBUTABLE TO INDICATION CODE
MENTAL HEALTH DELAYED DISCHARGE REASON
MONITORING INTENT
MOTHER ANTENATALLY BOOKED INDICATOR
NEONATAL CRITICAL INCIDENT TYPE
NEONATAL LEVEL OF CARE
NON SMOKING CONFIRMATION STATUS AT 4 WEEKS
ORGAN OR TISSUE UNSUITABLE ORGAN CODE RENAL TRANSPLANT
OUTCOME AT 4 WEEK FOLLOW-UP
PAEDIATRIC NEPHROLOGY REGISTRY STATUS CODE
PALLIATIVE CARE SPECIALIST SEEN INDICATOR
PALLIATIVE TREATMENT REASON CODE FOR UPPER GASTROINTESTINAL
PATIENT CLASSIFICATION
PATIENT RECEIVING ONE TO ONE NURSING CARE INDICATOR
PHARMACOTHERAPY STOP SMOKING AID RECEIVED
PREGNANCY OUTCOME CODE
PREGNANCY PREVIOUS CAESAREAN SECTIONS
PREGNANCY TOTAL LIVE BIRTHS
PREGNANCY TOTAL PREVIOUS LOSSES LESS THAN 24 WEEKS
PREGNANCY TOTAL PREVIOUS PREGNANCIES
PREGNANCY TOTAL STILL BIRTHS
PREVIOUS NEGATIVE HIV TEST IN UNITED KINGDOM INDICATOR
RADIOTHERAPY INTENT
RENAL DIALYSIS SCHEDULE TYPE
SMOKING QUIT DATE
SOURCE OF ADMISSION
SUPERVISED COMMUNITY TREATMENT END REASON
TIME BETWEEN DELIVERY AND SPONTANEOUS RESPIRATION CODE
TREATMENT START DATE FOR CANCER

CARE CONTACT

Change to Class: Changed Attributes

Attributes of this Class are:

A and E ATTENDANCE CATEGORY
A and E INITIAL ASSESSMENT TRIAGE CATEGORY
A and E STREAM
ACCIDENT AND EMERGENCY ARRIVAL MODE
ACCIDENT AND EMERGENCY ATTENDANCE DISPOSAL
ANTIRETROVIRAL THERAPY HOME DELIVERY INDICATOR
ANTIRETROVIRAL THERAPY REGIMEN GROUP CODE
BRIEF INTERVENTION PROVIDED INDICATOR
BRIEF INTERVENTION TYPE FOR NHS HEALTH CHECK
CARE CONTACT CANCELLATION DATE
CARE CONTACT CANCELLATION REASON
CARE CONTACT DATE
CARE CONTACT SERVICE TYPE FOR CHILDREN AND YOUNG PEOPLES HEALTH SERVICE SECONDARY USES
CARE CONTACT SUBJECT
CARE CONTACT TIME
CARE CONTACT TYPE
CARE CONTACT TYPE FOR CHILDREN AND YOUNG PEOPLES HEALTH SERVICE SECONDARY USES
CARE CONTACT TYPE FOR COMMUNITY CARE
CHILD DIFFICULT TO TEST REASON
CLINICAL NURSE SPECIALIST INDICATION CODE
CLINIC ATTENDANCE PURPOSE CODE FOR HIV
COLPOSCOPY PRIME PROCEDURE TYPE
CONSULTATION MEDIUM USED
CONTRACEPTIVE SERVICE TYPE
DECISION TO UNDERTAKE FURTHER ASSESSMENT INDICATOR
DIETARY ADVICE REASON CODE
EMPLOYMENT SUPPORT SUITABILITY INDICATOR
FACE TO FACE COMMUNICATION MODE
FEMALE GENITAL MUTILATION IDENTIFICATION METHOD CODE
FIRST ANTIRETROVIRAL THERAPY IN THE UNITED KINGDOM INDICATOR
FIRST ATTENDANCE
FURTHER ASSESSMENT TYPE FOR NHS HEALTH CHECK
INFORMATION AND ADVICE PROVIDED INDICATOR
INFORMATION AND ADVICE TYPE PROVIDED FOR FEMALE GENITAL MUTILATION
INFORMATION AND ADVICE TYPE PROVIDED FOR NHS HEALTH CHECK
INITIAL CONTACT INDICATOR
INITIAL DIAGNOSIS CARE SETTING FOR HIV
MEDICAL STAFF TYPE SEEING PATIENT
METASTATIC STATUS
MULTIPROFESSIONAL OR MULTIDISCIPLINARY INDICATION CODE
NEW HIV DIAGNOSIS IN UNITED KINGDOM INDICATOR
OUTCOME OF ATTENDANCE
OUTCOME OF ATTENDANCE FOR CHILDREN AND YOUNG PEOPLES HEALTH SERVICE SECONDARY USES
PATIENT EXPOSURE TO HIV
PATIENT HIV CARE STATUS
PATIENT TRIAL STATUS FOR CANCER
POST AND/OR PRE EXPOSURE PROPHYLAXIS CODE
POSTNATAL CARE INDICATOR
PREGNANCY INDICATOR FOR HIV

PSYCHIATRIC CARE INDICATOR FOR HIV
SETTLED ACCOMMODATION INDICATOR
SIGNPOSTING TO SERVICE INDICATOR
SIGNPOSTING TO SERVICE TYPE FOR NHS HEALTH CHECK
SKIN TO SKIN CONTACT INDICATOR
SOCIAL WORKER CARE INDICATOR FOR HIV
STATUTORY ASSESSMENT TYPE
SUBJECTIVE GLOBAL ASSESSMENT
THERAPY TYPE FOR IMPROVING ACCESS TO PSYCHOLOGICAL THERAPIES
TWO YEAR NEONATAL OUTCOMES ASSESSMENT NOT CARRIED OUT REASON
URGENT CARE SERVICE ACCESSED TYPE

CLINICAL INTERVENTION

Change to Class: Changed Attributes

Attributes of this Class are:

ABDOMINAL XRAY PERFORMED REASON
ABDOMINAL XRAY PERFORMED TO INVESTIGATE ABDOMINAL SIGNS INDICATOR
ABLATIVE THERAPY TYPE
ACCIDENT AND EMERGENCY INVESTIGATION
ACCIDENT AND EMERGENCY TREATMENT
ANAESTHESIA TYPE IN LABOUR AND DELIVERY
ANAESTHETIC METHOD TYPE FOR DIALYSIS ACCESS CONSTRUCTION
ANAESTHETIC TYPE FOR JOINT REPLACEMENT
ANTI CANCER REGIMEN NUMBER
ARTERIOVENOUS GRAFT MATERIAL TYPE
ARTHROPLASTY REVISION TYPE
ARTIFICIAL RUPTURE OF MEMBRANES REASON CODE
ASA PHYSICAL STATUS CLASSIFICATION SYSTEM CODE
ASSOCIATED PROCEDURE TYPE FOR ANKLE REPLACEMENT
BILIARY STENT INSERTION REASON
BIOLOGICAL RESURFACING TYPE FOR SHOULDER REPLACEMENT
BLOOD FLOW RATE
BLOOD TRANSFUSION PRODUCT TYPE
BLOOD TRANSFUSION TYPE
BLOOD TRANSFUSION UNITS TRANSFUSED
BONE GRAFT INDICATION CODE FOR REVISION ANKLE REPLACEMENT
BONE GRAFT INDICATOR FOR JOINT REPLACEMENT
BONE GRAFT TYPE FOR REVISION ANKLE REPLACEMENT
BRACHYTHERAPY TYPE
BREAST ASSESSMENT OUTCOME
BREAST SCREENING TEST OUTCOME
CANCER IMAGING MODALITY
CANCER TREATMENT MODALITY
CHEMICAL THROMBOPROPHYLAXIS REGIME TYPE
CHEMO RADIATION INDICATOR
CHEMOTHERAPY ACTUAL DOSE
CHEST DRAIN IN SITU INDICATOR
CLINICAL INTERVENTION TYPE
CLINICAL INVESTIGATION NOT PERFORMED REASON CODE FOR MATERNITY
CO MORBIDITY ADJUSTMENT INDICATOR
COMPLICATION TYPE FOR RENAL DIALYSIS ACCESS
COMPONENT REMOVAL INDICATOR
CONTINUOUS INFUSION OF PULMONARY VASODILATOR RECEIVED INDICATOR

CONTINUOUS POSITIVE AIRWAY PRESSURE DELIVERY MODE
CONTRACEPTION METHOD STATUS
CYTOLOGY SCREENING ACTION TYPE
DEINFIBULATION UNDERTAKEN REASON
DELIVERED IN WATER INDICATOR
DELIVERY INSTRUMENT TYPE
DELIVERY OF PLACENTA METHOD
DRUG ADMINISTRATION DURATION
DRUG ADMINISTRATION STATUS
DRUG DAYS SUPPLY
DRUG DOSAGE AND ADMIN SPECIFICATION
DRUG IDENTIFICATION
DRUG INFORMATION COMMENT
DRUG INFORMATION TYPE
DRUG QUANTITY SUPPLIED
DRUG REGIMEN ACRONYM
DRUG TREATMENT INTENT
ENDOSCOPIC OR RADIOLOGICAL COMPLICATION TYPE
ENDOSCOPIC PROCEDURE TYPE
ENTERAL FEEDING METHOD
ENTERAL FEED TYPE GIVEN
EPISIOTOMY PERFORMED REASON CODE
EXCISION TYPE
FETAL ORDER
FIRST DEFINITIVE TREATMENT PROVIDED
FIRST DIAGNOSTIC TEST
FIXATION TYPE FOR ELBOW OR SHOULDER REPLACEMENT
FORMULA MILK OR MILK FORTIFIER TYPE
FRACTION NUMBER
HIP SURGERY PATIENT POSITION
IMAGE GUIDED SURGERY INDICATOR
IMAGING ANATOMICAL SITE
IMAGING INTERVENTION INDICATOR
IMAGING MODALITY
IMAGING OR RADIODIAGNOSTIC EVENT INDICATION CODE FOR RENAL CARE
INFECTION CULTURE TEST INDICATOR
INTERVENTION SESSION TYPE
INTRAPARTUM ANTIBIOTICS GIVEN INDICATOR
JOINT REPLACEMENT REVISION REASON CODE FOR ANKLE
JOINT REPLACEMENT REVISION REASON CODE FOR ELBOW
JOINT REPLACEMENT REVISION REASON CODE FOR HIP
JOINT REPLACEMENT REVISION REASON CODE FOR KNEE
JOINT REPLACEMENT REVISION REASON CODE FOR SHOULDER
KIDNEY TRANSPLANTED CODE
LABOUR FIRST STAGE LENGTH
LABOUR OR DELIVERY ONSET METHOD
LABOUR SECOND STAGE LENGTH
LAPAROTOMY FOR NECROTISING ENTEROCOLITIS INDICATION CODE
LONG HEAD BICEPS TENOTOMY INDICATOR
MARGIN INVOLVED INDICATION CODE
MECHANICAL THROMBOPROPHYLAXIS REGIME TYPE
MENTAL HEALTH INTERVENTION CODE
MINIMALLY INVASIVE SURGERY INDICATOR
MORE THAN THREE RECTAL WASHOUTS RECEIVED INDICATOR
NEOADJUVANT THERAPY INDICATOR

NEONATAL RESUSCITATION METHOD
NEONATAL RESUSCITATION METHOD FOR NATIONAL NEONATAL DATA SET
NEPHRECTOMY TYPE
NEURODEVELOPMENTAL ASSESSMENT ALREADY TAKEN INDICATOR
NEWBORN HEARING INCOMPLETE REASON CODE
NEWBORN HEARING SCREENING TEST TYPE
NITRIC OXIDE GIVEN INDICATOR
NUMBER OF TELETHERAPY FIELDS
OPPORTUNISTIC SCREENING TYPE
PAIN RELIEF TYPE IN LABOUR AND DELIVERY
PARENTAL CONSENT TO ADMINISTER VITAMIN K INDICATOR
PARENTAL CONSENT TO POST MORTEM INDICATOR
PARENTERAL NUTRITION RECEIVED INDICATOR
PATHOLOGY INVESTIGATION PRIORITY
PATHOLOGY RESULT REPORTED DATE
PATIENT PROCEDURE PERFORMED INDICATOR
PATIENT PROCEDURE TYPE FOR PRIMARY ANKLE REPLACEMENT
PATIENT PROCEDURE TYPE FOR PRIMARY ELBOW REPLACEMENT
PATIENT PROCEDURE TYPE FOR PRIMARY HIP REPLACEMENT
PATIENT PROCEDURE TYPE FOR PRIMARY KNEE REPLACEMENT
PATIENT PROCEDURE TYPE FOR PRIMARY SHOULDER REPLACEMENT
PATIENT PROCEDURE TYPE FOR REVISION ANKLE REPLACEMENT
PATIENT PROCEDURE TYPE FOR REVISION ELBOW REPLACEMENT
PATIENT PROCEDURE TYPE FOR REVISION HIP REPLACEMENT
PATIENT PROCEDURE TYPE FOR REVISION KNEE REPLACEMENT
PATIENT PROCEDURE TYPE FOR REVISION SHOULDER REPLACEMENT
PATIENT SPECIFIC INSTRUMENTS INDICATOR FOR KNEE REPLACEMENT
PERFORATIONS OR SEROSAL INVOLVEMENT INDICATION CODE
PERITONEAL DIALYSIS CATHETER INSERTION TECHNIQUE
PERITONEAL DIALYSIS CATHETER TYPE
PERITONEAL DIALYSIS TREATMENT REGIME
PLANE OF SURGICAL EXCISION TYPE
PLANNED TREATMENT CHANGE REASON
POST MORTEM CARRIED OUT INDICATOR
POST MORTEM CONFIRMED NECROTISING ENTEROCOLITIS DIAGNOSIS INDICATOR
POST MORTEM TYPE
PREVIOUS BONY INFECTION INDICATOR OF TIBIA OR HINDFOOT
PREVIOUS FRACTURE INDICATOR FOR ANKLE REPLACEMENT
PREVIOUS SURGERY TYPE FOR ANKLE JOINT
PREVIOUS SURGERY TYPE FOR SHOULDER REPLACEMENT
PRINCIPAL DIAGNOSTIC IMAGING TYPE
PROCEDURE RENAL DIALYSIS ACCESS REPAIR OR REVISION TYPE
PROCEDURE SIDE RENAL DIALYSIS ACCESS CONSTRUCTION CODE
PROCEDURE SITE RENAL DIALYSIS ACCESS CONSTRUCTION CODE
RADIOISOTOPE
RADIOLOGICAL PROCEDURE TYPE
RADIOTHERAPY ACTUAL DOSE
RADIOTHERAPY BEAM TYPE
RADIOTHERAPY PRESCRIBED DOSE
RADIOTHERAPY TREATMENT MODALITY
REMOVAL REASON TYPE FOR DIALYSIS ACCESS
RENAL DIALYSIS ACCESS TYPE
RENAL TRANSPLANT FAILURE CAUSE CODE
RENAL TREATMENT MODALITY CHANGE REASON CODE
RENAL TREATMENT MODALITY CODE

RENAL TREATMENT PRIMARY SUPERVISION CODE
REPLOGLE TUBE IN SITU INDICATOR
RESPIRATORY SUPPORT DEVICE TYPE FOR NATIONAL NEONATAL DATA SET
RESPIRATORY SUPPORT MODE FOR NATIONAL NEONATAL DATA SET
RESULT SENT DIRECT
RETINOPATHY OF PREMATURITY SCREENING OUTCOME STATUS CODE
REVISION PROCEDURE TYPE FOR ANKLE OR KNEE REPLACEMENT
REVISION PROCEDURE TYPE FOR ELBOW OR SHOULDER REPLACEMENT
REVISION PROCEDURE TYPE FOR HIP REPLACEMENT
ROTATOR CUFF CONDITION
RUPTURE OF MEMBRANES METHOD
SARCOMA SURGICAL MARGIN
SENTINEL LYMPH NODE BIOPSY TYPE
SIGNIFICANT MATERNAL PYREXIA IN LABOUR INDICATOR
STEM CELL INFUSION DONOR TYPE
STEM CELL INFUSION SOURCE CODE
STENT DEPLOYED SUCCESS INDICATOR
STEROIDS GIVEN DURING PREGNANCY TO MATURE FETAL LUNGS INDICATOR
STOMA PRESENT INDICATOR
SURFACTANT GIVEN INDICATOR
SURGICAL ACCESS TYPE
SURGICAL ACCESS TYPE FOR THORACIC
SURGICAL APPROACH FOR PRIMARY HIP REPLACEMENT
SURGICAL APPROACH FOR PRIMARY KNEE REPLACEMENT
SURGICAL APPROACH FOR PRIMARY OR REVISION ANKLE REPLACEMENT
SURGICAL APPROACH FOR PRIMARY OR REVISION ELBOW REPLACEMENT
SURGICAL APPROACH FOR PRIMARY OR REVISION SHOULDER REPLACEMENT
SURGICAL APPROACH FOR REVISION HIP REPLACEMENT
SURGICAL APPROACH FOR REVISION KNEE REPLACEMENT
SURGICAL COMPLICATION TYPE
SURGICAL PALLIATION TYPE
SURGICAL VOICE RESTORATION PERMANENT VALVE REMOVAL REASON
SYSTEMIC ANTI CANCER THERAPY DRUG ROUTE OF ADMINISTRATION
SYSTEMIC ANTI CANCER THERAPY PROGRAMME NUMBER
SYSTEMIC ANTI CANCER THERAPY REGIMEN MODIFICATION INDICATOR
TELEOTHERAPY BEAM TYPE
TRACHEOSTOMY TUBE IN SITU INDICATOR
TREATMENT TYPE FOR NECROTISING ENTEROCOLITIS
TREATMENT TYPE FOR PATENT DUCTUS ARTERIOSUS
UNPLANNED OPERATION INDICATOR
UNTOWARD INTRAOPERATIVE EVENT CODE FOR ANKLE REPLACEMENT
UNTOWARD INTRAOPERATIVE EVENT CODE FOR ELBOW REPLACEMENT
UNTOWARD INTRAOPERATIVE EVENT CODE FOR HIP REPLACEMENT
UNTOWARD INTRAOPERATIVE EVENT CODE FOR KNEE REPLACEMENT
UNTOWARD INTRAOPERATIVE EVENT CODE FOR SHOULDER REPLACEMENT
VASCULAR LINE TYPE IN SITU
VISUAL INSPECTION CONFIRMED NECROTISING ENTEROCOLITIS DURING LAPAROTOMY
INDICATOR
VITAMIN K ADMINISTERED INDICATOR
VITAMIN K ROUTE OF ADMINISTRATION

PATIENT DIAGNOSIS

Change to Class: Changed Attributes

Attributes of this Class are:

ACCIDENT AND EMERGENCY DIAGNOSIS
AIDS DEFINING ILLNESS TYPE
BABY COMPLICATION AT BIRTH DIAGNOSIS
BASIS OF DIAGNOSIS FOR CANCER
BREAST CANCER INVASIVE STATUS
CEREBRAL PALSY TYPE CODE FOR NATIONAL NEONATAL DATA SET
CYTOMEGALOVIRUS DISEASE CODE
DIABETES TYPE FOR RENAL CARE
FEMALE GENITAL MUTILATION TYPE 4 CODE
FEMALE GENITAL MUTILATION TYPE CODE
FETAL ANOMALY DIAGNOSIS
HISTOLOGY CONFIRMED NECROTISING ENTEROCOLITIS FOLLOWING LAPAROTOMY INDICATOR
HISTORY OF FEMALE GENITAL MUTILATION INDICATOR
HYPOXIC ISCHEMIC ENCEPHALOPATHY GRADE
INJURY TYPE FOR CHILDREN AND YOUNG PEOPLES HEALTH SERVICE SECONDARY USES
LONG TERM PHYSICAL HEALTH CONDITION INDICATOR FOR IMPROVING ACCESS TO PSYCHOLOGICAL THERAPIES
MATERNITY COMPLICATING MEDICAL DIAGNOSIS
MATERNITY FAMILY HISTORY DIAGNOSIS TYPE
MATERNITY MEDICAL DIAGNOSIS TYPE
NEONATAL ABSTINENCE SYNDROME OBSERVED INDICATOR
NEONATAL DIAGNOSIS
OBSTETRIC DIAGNOSIS
PATIENT DIAGNOSIS CODING SIGNIFICANCE
PATIENT DIAGNOSIS INDICATION FOR PRIMARY ANKLE REPLACEMENT
PATIENT DIAGNOSIS INDICATION FOR PRIMARY ELBOW REPLACEMENT
PATIENT DIAGNOSIS INDICATION FOR PRIMARY HIP REPLACEMENT
PATIENT DIAGNOSIS INDICATION FOR PRIMARY KNEE REPLACEMENT
PATIENT DIAGNOSIS INDICATION FOR PRIMARY SHOULDER REPLACEMENT
PATIENT DIAGNOSIS INDICATOR
PATIENT DIAGNOSIS TYPE FOR HIV
PATIENT DIAGNOSIS TYPE FOR NHS HEALTH CHECK
POST HAEMORRHAGIC HYDROCEPHALUS OBSERVED DURING CRANIAL ULTRASOUND SCAN INDICATOR
PRESENT ON ADMISSION INDICATOR
PRIMARY DIAGNOSIS
PROVISIONAL DIAGNOSIS
RENAL DONOR DIAGNOSIS TYPE
RENAL LIVING DONOR DIAGNOSIS TYPE
RENAL PAEDIATRIC DIAGNOSIS TYPE
RENAL RECIPIENT CARDIOVASCULAR COMPLICATION TYPE
RENAL RECIPIENT DIAGNOSIS TYPE
SEIZURE OCCURRED INDICATOR
SEPSIS SUSPECTED INDICATOR
SKIN CANCER LESION DIAGNOSIS
TRAUMATIC LESION OF GENITAL TRACT TYPE CODE
TUMOUR OR LESION LATERALITY

REFERRAL REQUEST

Change to Class: Changed Attributes

Attributes of this Class are:

BENIGN THERAPEUTIC OPERATION INDICATOR

COLPOSCOPY REFERRAL INDICATION
 COMMISSIONER REFERENCE NUMBER
 REASON FOR REFERRAL TO COMMUNITY CARE
 REFERRAL CLOSURE REASON FOR COMMUNITY CARE
 REFERRAL REQUEST ACCEPTANCE INDICATOR
 REFERRAL REQUEST RECEIVED TIME
 REFERRAL REQUEST SERVICE TYPE FOR NHS HEALTH CHECK
 REFERRAL REQUEST TYPE
 SCREENING REFERRAL SOURCE
 SERVICE TYPE REQUESTED
 SERVICE TYPE REQUESTED FOR CHILD AND ADOLESCENT MENTAL HEALTH
 SOURCE OF REFERRAL FOR A and E
 SOURCE OF REFERRAL FOR COMMUNITY
 SOURCE OF REFERRAL FOR FEMALE GENITAL MUTILATION
 SOURCE OF REFERRAL FOR MENTAL HEALTH
 SOURCE OF REFERRAL FOR OUT-PATIENTS
 SOURCE OF REFERRAL FOR PROF STAFF GROUP
 TWO WEEK WAIT CANCER OR SYMPTOMATIC BREAST REFERRAL TYPE

DAUGHTER BORN AT THIS ENCOUNTER INDICATOR

Change to Attribute: New Attribute

An indication of whether a baby daughter has been born to the PATIENT at this ACTIVITY.

National Codes:

- Y Yes - baby daughter born at this activity
- N No - baby daughter not born at this activity

This attribute is also known by these names:

Context	Alias
plural	DAUGHTER BORN AT THIS ENCOUNTER INDICATORS

DAUGHTER BORN AT THIS ENCOUNTER INDICATOR

Change to Attribute: New Attribute

DAUGHTER BORN AT THIS ENCOUNTER INDICATOR

Data Elements:

DAUGHTER BORN AT THIS ENCOUNTER INDICATOR

DEINFIBULATION UNDERTAKEN REASON

Change to Attribute: New Attribute

The reason a deinfibulation Patient Procedure was undertaken.

National Codes:

- 1 Deinfibulation undertaken to facilitate delivery
- 2 Deinfibulation undertaken for other reasons

This attribute is also known by these names:

Context	Alias
plural	DEINFIBULATION UNDERTAKEN REASONS

DEINFIBULATION UNDERTAKEN REASON

Change to Attribute: New Attribute

DEINFIBULATION UNDERTAKEN REASON

Data Elements:

DEINFIBULATION UNDERTAKEN REASON

FEMALE GENITAL MUTILATION AGE CATEGORY

Change to Attribute: Changed Description

The age category for a [PATIENT](#) identified as having undergone Female Genital Mutilation.

National Codes:

- 01 Under 18 years
- 02 18 years and over
- 01 Under 1 year
- 02 1 and under 5 years
- 03 5 and under 10 years
- 04 10 and under 15 years
- 05 15 and under 18 years
- 06 18 years and over
- XX Patient did not or would not say

FEMALE GENITAL MUTILATION IDENTIFICATION METHOD CODE

Change to Attribute: New Attribute

A code to identify how Female Genital Mutilation was identified.

National Codes:

- 1 Self report (includes notification by the [PATIENT](#), social worker, teacher etc.)
- 2 On examination by [CARE PROFESSIONAL](#)
- 3 Other [CARE PROFESSIONAL](#)
- X Other

This attribute is also known by these names:

Context	Alias
plural	FEMALE GENITAL MUTILATION IDENTIFICATION METHOD CODES

FEMALE GENITAL MUTILATION IDENTIFICATION METHOD CODE

Change to Attribute: New Attribute

FEMALE GENITAL MUTILATION IDENTIFICATION METHOD CODE

Data Elements:

FEMALE GENITAL MUTILATION IDENTIFICATION METHOD CODE

FEMALE GENITAL MUTILATION TYPE 4 CODE

Change to Attribute: New Attribute

A code to identify the specific type of Female Genital Mutilation for Female Genital Mutilation - Type 4.

National Codes:

- 41 Female Genital Mutilation Type 4 - Pricking
- 42 Female Genital Mutilation Type 4 - Piercing
- 43 Female Genital Mutilation Type 4 - Scraping
- 44 Female Genital Mutilation Type 4 - Incising
- 45 Female Genital Mutilation Type 4 - Cauterisation

This attribute is also known by these names:

Context	Alias
plural	FEMALE GENITAL MUTILATION TYPE 4 CODES

FEMALE GENITAL MUTILATION TYPE 4 CODE

Change to Attribute: New Attribute

FEMALE GENITAL MUTILATION TYPE 4 CODE

Data Elements:

FEMALE GENITAL MUTILATION TYPE 4 CODE

HISTORY OF FEMALE GENITAL MUTILATION INDICATOR

Change to Attribute: New Attribute

An indication of whether there is any history of PATIENT DIAGNOSIS of female genital mutilation for a PERSON.

National Codes:

- Y Yes - history of female genital mutilation
- N No - no history of female genital mutilation
- Z Not stated (PERSON asked but declined to provide a response)

This attribute is also known by these names:

Context	Alias
plural	HISTORY OF FEMALE GENITAL MUTILATION INDICATORS

HISTORY OF FEMALE GENITAL MUTILATION INDICATOR

Change to Attribute: New Attribute

HISTORY OF FEMALE GENITAL MUTILATION INDICATOR

Data Elements:

FEMALE GENITAL MUTILATION FAMILY HISTORY INDICATOR

INFORMATION AND ADVICE TYPE PROVIDED FOR FEMALE GENITAL MUTILATION

Change to Attribute: New Attribute

The type of information and advice given to a [PATIENT](#) at a [CARE CONTACT](#) for the [Female Genital Mutilation Data Set](#).

National Codes:

- 01 Advised of the health implications of female genital mutilation
- 02 Advised of the legal implications of female genital mutilation

This attribute is also known by these names:

Context	Alias
plural	INFORMATION AND ADVICE TYPE PROVIDED FOR FEMALE GENITAL MUTILATION

PREGNANCY STATUS

Change to Attribute: Changed Description

An indication of whether the female [PERSON](#) is pregnant.

~~Classification:~~ Note: this item does not meet the requirements of the [Equality Act](#).

National Codes:

- a- Yes
- b- No
- e- Unknown
- Y Yes
- N No
- Z Not stated ([PERSON](#) asked but declined to provide a response)

REGION OF COUNTRY CODE FOR FEMALE GENITAL MUTILATION DATA SET

Change to Attribute: New Attribute

The code for the region of the country as specified for the [Female Genital Mutilation Data Set](#).

Details of the national codes for use in the [Female Genital Mutilation Data Set](#), which are allocated to the regions can be found in the [Female Genital Mutilation Data Set Information Standards Notice \(ISN\)](#) on the [Standardisation Committee for Care Information publication web pages](#) on the [Health and Social Care Information Centre website](#).

This attribute is also known by these names:

Context	Alias
plural	REGION OF COUNTRY CODES FOR FEMALE GENITAL MUTILATION DATA SET

REGION OF COUNTRY CODE FOR FEMALE GENITAL MUTILATION DATA SET

Change to Attribute: New Attribute

REGION OF COUNTRY CODE FOR FEMALE GENITAL MUTILATION DATA SET**Data Elements:**

REGION OF COUNTRY CODE FOR FEMALE GENITAL MUTILATION (ORIGIN)

SOURCE OF REFERRAL FOR FEMALE GENITAL MUTILATION

Change to Attribute: New Attribute

The source of referral for the [Female Genital Mutilation Data Set](#).

National Codes:

- 01 [General Medical Practitioner Practice](#)
- 02 [Other NHS Organisations](#)
- 03 [Self Referral](#)
- 04 [Educational Establishment](#)
- 05 [Voluntary Sector \(including charitable organisations, victim/survivor groups etc.\)](#)
- 06 [Local Authority](#)
- 07 [Police](#)
- 08 [Justice Service](#)
- 09 [Immigration Removal Centre](#)
- 10 [Religious Organisation](#)
- XX [Other](#)
- ZZ [Not Stated \(PERSON asked but declined to provide a response\)](#)

This attribute is also known by these names:

Context	Alias
plural	SOURCES OF REFERRAL FOR FEMALE GENITAL MUTILATION

SOURCE OF REFERRAL FOR FEMALE GENITAL MUTILATION

Change to Attribute: New Attribute

SOURCE OF REFERRAL FOR FEMALE GENITAL MUTILATION**Data Elements:**

SOURCE OF REFERRAL FOR FEMALE GENITAL MUTILATION
--

ADVISED OF HEALTH IMPLICATIONS INDICATOR

Change to Data Element: New Data Element

Format/Length:	an1
HES Item:	
National Codes:	See INFORMATION AND ADVICE PROVIDED INDICATOR
Default Codes:	9 - Unknown

Notes:

[ADVISED OF HEALTH IMPLICATIONS INDICATOR](#) is the same as attribute [INFORMATION AND ADVICE PROVIDED INDICATOR](#).

For the Female Genital Mutilation Data Set, ADVISED OF HEALTH IMPLICATIONS INDICATOR is an indication of whether the PATIENT has been provided with information and advice where the INFORMATION AND ADVICE TYPE PROVIDED FOR FEMALE GENITAL MUTILATION is National Code 'Advised of the health implications of female genital mutilation', during a CARE CONTACT for female genital mutilation.

This data element is also known by these names:

Context	Alias
plural	ADVISED OF HEALTH IMPLICATIONS INDICATORS

ADVISED OF HEALTH IMPLICATIONS INDICATOR

Change to Data Element: New Data Element

ADVISED OF HEALTH IMPLICATIONS INDICATOR

Attribute:

INFORMATION AND ADVICE PROVIDED INDICATOR

ADVISED OF LEGAL IMPLICATIONS INDICATOR

Change to Data Element: New Data Element

Format/Length:	an1
HES Item:	
National Codes:	See INFORMATION AND ADVICE PROVIDED INDICATOR
Default Codes:	9 - Unknown

Notes:

ADVISED OF LEGAL IMPLICATIONS INDICATOR is the same as attribute INFORMATION AND ADVICE PROVIDED INDICATOR.

For the Female Genital Mutilation Data Set, ADVISED OF LEGAL IMPLICATIONS INDICATOR is an indication of whether the PATIENT has been provided with information and advice where the INFORMATION AND ADVICE TYPE PROVIDED FOR FEMALE GENITAL MUTILATION is National Code 'Advised of the legal implications of female genital mutilation', during a CARE CONTACT for female genital mutilation.

This data element is also known by these names:

Context	Alias
plural	ADVISED OF LEGAL IMPLICATIONS INDICATORS

ADVISED OF LEGAL IMPLICATIONS INDICATOR

Change to Data Element: New Data Element

ADVISED OF LEGAL IMPLICATIONS INDICATOR

Attribute:

INFORMATION AND ADVICE PROVIDED INDICATOR

COUNTRY CODE (BIRTH)

Change to Data Element: Changed Description

Format/Length:	a3
HES Item:	
National Codes:	
Default Codes:	
Default Codes:	XXX - Unknown * ZZZ - Not stated (PERSON asked but declined to provide a response)*

Notes:

COUNTRY CODE (BIRTH) is the same as attribute COUNTRY CODE.

COUNTRY CODE (BIRTH) is the country where the PERSON was born.

Refer to the ISO 3166-1 standard for actual list of alphabetic codes and countries. The alphabetic code to be used is the 3-char alphabetic code available on the International Organisation for Standardisation website <http://www.iso.org/iso/home.htm>. The 2-char alphabetic code **must not be used**.

* Note - Default Codes XXX and ZZZ are only valid for use in the Female Genital Mutilation Data Set.

COUNTRY CODE (FATHER BIRTH)

Change to Data Element: New Data Element

Format/Length:	a3
HES Item:	
National Codes:	
Default Codes:	XXX - Unknown ZZZ - Not stated (PERSON asked but declined to respond)

Notes:

COUNTRY CODE (FATHER BIRTH) is the same as attribute COUNTRY CODE.

COUNTRY CODE (FATHER BIRTH) is the country code of the father of a REGISTRABLE BIRTH.

Refer to the ISO 3166-1 standard for actual list of alphabetic codes and countries. The alphabetic code to be used is the 3-char alphabetic code available on the International Organisation for Standardisation website <http://www.iso.org/iso/home.htm>. The 2-char alphabetic code **must not be used**.

This data element is also known by these names:

Context	Alias
plural	COUNTRY CODES (FATHER BIRTH)

COUNTRY CODE (FATHER BIRTH)

Change to Data Element: New Data Element

COUNTRY CODE (FATHER BIRTH)

Attribute:

<u>COUNTRY CODE</u>

COUNTRY CODE (FATHER ORIGIN)

Change to Data Element: New Data Element

Format/Length:	a3
HES Item:	
National Codes:	
Default Codes:	XXX - Unknown ZZZ - Not stated (PERSON asked but declined to provide a response)

Notes:

COUNTRY CODE (FATHER ORIGIN) is the same as attribute COUNTRY CODE.

COUNTRY CODE (FATHER ORIGIN) is the country code of origin of the father of a REGISTRABLE BIRTH.

Refer to the ISO 3166-1 standard for actual list of alphabetic codes and countries. The alphabetic code to be used is the 3-char alphabetic code available on the International Organisation for Standardisation website <http://www.iso.org/iso/home.htm>. The 2-char alphabetic code **must not be used**.

For the Female Genital Mutilation Data Set, this is the country which the PERSON believes reflects their cultural heritage.

This data element is also known by these names:

Context	Alias
plural	COUNTRY CODES (FATHER ORIGIN)

COUNTRY CODE (FATHER ORIGIN)

Change to Data Element: New Data Element

COUNTRY CODE (FATHER ORIGIN)

Attribute:

COUNTRY CODE

COUNTRY CODE (FEMALE GENITAL MUTILATION PERFORMED)

Change to Data Element: New Data Element

Format/Length:	a3
HES Item:	
National Codes:	
Default Codes:	XXX - Unknown ZZZ - Not stated (PERSON asked bur declined to provide a response)

Notes:

COUNTRY CODE (FEMALE GENITAL MUTILATION PERFORMED) is the same as attribute COUNTRY CODE.

COUNTRY CODE (FEMALE GENITAL MUTILATION PERFORMED) is the country where female genital mutilation was performed.

Refer to the ISO 3166-1 standard for actual list of alphabetic codes and countries. The alphabetic code to be used is the 3-char alphabetic code available on the International Organisation for Standardisation website <http://www.iso.org/iso/home.htm>. The 2-char alphabetic code **must not be used**.

This data element is also known by these names:

Context	Alias
plural	COUNTRY CODES (FEMALE GENITAL MUTILATION PERFORMED)

COUNTRY CODE (FEMALE GENITAL MUTILATION PERFORMED)

Change to Data Element: New Data Element

COUNTRY CODE (FEMALE GENITAL MUTILATION PERFORMED)

Attribute:

COUNTRY CODE

COUNTRY CODE (ORIGIN)

Change to Data Element: New Data Element

Format/Length:	a3
HES Item:	
National Codes:	
Default Codes:	XXX - Unknown ZZZ - Not stated (PERSON asked but declined to provide a response)

Notes:

COUNTRY CODE (ORIGIN) is the same as attribute COUNTRY CODE.

COUNTRY CODE (ORIGIN) is the PERSON's country of origin.

Refer to the ISO 3166-1 standard for actual list of alphabetic codes and countries. The alphabetic code to be used is the 3-char alphabetic code available on the International Organisation for Standardisation website <http://www.iso.org/iso/home.htm>. The 2-char alphabetic code **must not be used**.

For the Female Genital Mutilation Data Set, this is the country which the PATIENT believes reflects their cultural heritage.

This data element is also known by these names:

Context	Alias
plural	COUNTRY CODES (ORIGIN)

COUNTRY CODE (ORIGIN)

Change to Data Element: New Data Element

COUNTRY CODE (ORIGIN)

Attribute:

COUNTRY CODE

DAUGHTER BORN AT THIS ENCOUNTER INDICATOR

Change to Data Element: New Data Element

Format/Length:	an1
HES Item:	
National Codes:	See DAUGHTER BORN AT THIS ENCOUNTER INDICATOR
Default Codes:	

Notes:

[DAUGHTER BORN AT THIS ENCOUNTER INDICATOR](#) is the same as attribute [DAUGHTER BORN AT THIS ENCOUNTER INDICATOR](#).

This data element is also known by these names:

Context	Alias
plural	DAUGHTER BORN AT THIS ENCOUNTER INDICATORS

DAUGHTER BORN AT THIS ENCOUNTER INDICATOR

Change to Data Element: New Data Element

DAUGHTER BORN AT THIS ENCOUNTER INDICATOR

Attribute:

DAUGHTER BORN AT THIS ENCOUNTER INDICATOR

DEINFIBULATION UNDERTAKEN REASON

Change to Data Element: New Data Element

Format/Length:	an1
HES Item:	
National Codes:	See DEINFIBULATION UNDERTAKEN REASON
Default Codes:	X - Not applicable (deinfibulation not undertaken)

Notes:

[DEINFIBULATION UNDERTAKEN REASON](#) is the same as attribute [DEINFIBULATION UNDERTAKEN REASON](#).

This data element is also known by these names:

Context	Alias
plural	DEINFIBULATION UNDERTAKEN REASONS

DEINFIBULATION UNDERTAKEN REASON

Change to Data Element: New Data Element

DEINFIBULATION UNDERTAKEN REASON

Attribute:

DEINFIBULATION UNDERTAKEN REASON
--

FEMALE GENITAL MUTILATION AGE CATEGORY

Change to Data Element: Changed Description

Format/Length:	an1
HES Item:	
National Codes:	See FEMALE GENITAL MUTILATION AGE CATEGORY

Default Codes: 9 - Not known or Not recorded
Default Codes:

Notes:

[FEMALE GENITAL MUTILATION AGE CATEGORY](#) is the same as attribute [FEMALE GENITAL MUTILATION AGE CATEGORY](#).

FEMALE GENITAL MUTILATION FAMILY HISTORY INDICATOR

Change to Data Element: New Data Element

Format/Length: an1
HES Item:
National Codes: See [HISTORY OF FEMALE GENITAL MUTILATION INDICATOR](#)
Default Codes: 9 - Unknown

Notes:

[FEMALE GENITAL MUTILATION FAMILY HISTORY INDICATOR](#) is the same as attribute [HISTORY OF FEMALE GENITAL MUTILATION INDICATOR](#), where there is confirmation that female genital mutilation has occurred in associated family members or wider social groupings.

This data element is also known by these names:

Context	Alias
plural	FEMALE GENITAL MUTILATION FAMILY HISTORY INDICATORS

FEMALE GENITAL MUTILATION FAMILY HISTORY INDICATOR

Change to Data Element: New Data Element

FEMALE GENITAL MUTILATION FAMILY HISTORY INDICATOR

Attribute:

[HISTORY OF FEMALE GENITAL MUTILATION INDICATOR](#)

FEMALE GENITAL MUTILATION IDENTIFICATION METHOD CODE

Change to Data Element: New Data Element

Format/Length: an1
HES Item:
National Codes: See [FEMALE GENITAL MUTILATION IDENTIFICATION METHOD CODE](#)
Default Codes:

Notes:

[FEMALE GENITAL MUTILATION IDENTIFICATION METHOD CODE](#) is the same as attribute [FEMALE GENITAL MUTILATION IDENTIFICATION METHOD CODE](#).

This data element is also known by these names:

Context	Alias
plural	FEMALE GENITAL MUTILATION IDENTIFICATION METHOD CODES

FEMALE GENITAL MUTILATION IDENTIFICATION METHOD CODE

Change to Data Element: New Data Element

FEMALE GENITAL MUTILATION IDENTIFICATION METHOD CODE

Attribute:

FEMALE GENITAL MUTILATION IDENTIFICATION METHOD CODE

FEMALE GENITAL MUTILATION IDENTIFIED TYPE CODE

Change to Data Element: New Data Element

Format/Length: an2
HES Item:
National Codes:
Default Codes:

Notes:

FEMALE GENITAL MUTILATION IDENTIFIED TYPE CODE is type of information recorded about a PATIENT during a CARE CONTACT relating to female genital mutilation.

Permitted National Codes:

- 10 Female Genital Mutilation Type 1
- 20 Female Genital Mutilation Type 2
- 30 Female Genital Mutilation Type 3
- 31 Female Genital Mutilation Type 3 - History of Female Genital Mutilation Type 3
- 32 Female Genital Mutilation Type 3 - Reinfibulation Identified
- 40 Female Genital Mutilation Type 4
- 99 Female Genital Mutilation Type - unknown

This data element is also known by these names:

Context	Alias
plural	FEMALE GENITAL MUTILATION IDENTIFIED TYPE CODES

FEMALE GENITAL MUTILATION TYPE 4 CODE

Change to Data Element: New Data Element

Format/Length: an2
HES Item:
National Codes: See FEMALE GENITAL MUTILATION TYPE 4 CODE
Default Codes:

Notes:

FEMALE GENITAL MUTILATION TYPE 4 CODE is the same as attribute FEMALE GENITAL MUTILATION TYPE 4 CODE.

This data element is also known by these names:

Context	Alias
plural	FEMALE GENITAL MUTILATION TYPE 4 QUALIFIER CODES

FEMALE GENITAL MUTILATION TYPE 4 CODE

Change to Data Element: New Data Element

FEMALE GENITAL MUTILATION TYPE 4 CODE

Attribute:

FEMALE GENITAL MUTILATION TYPE 4 CODE

NUMBER OF DAUGHTERS UNDER 18

Change to Data Element: New Data Element

Format/Length: max an2
HES Item:
National Codes:
Default Codes: 99 - Unknown
ZZ - Not stated (PERSON asked but declined to respond)

Notes:

NUMBER OF DAUGHTERS UNDER 18 is the number of daughters under the age of 18 which the PATIENT states that they have.

The response is in the range 0 to 20.

This data element is also known by these names:

Context	Alias
plural	NUMBERS OF DAUGHTERS UNDER 18

PREGNANCY STATUS INDICATOR

Change to Data Element: New Data Element

Format/Length: an1
HES Item:
National Codes: See PREGNANCY STATUS
Default Codes: 9 - Unknown

Notes:

PREGNANCY STATUS INDICATOR is the same as attribute PREGNANCY STATUS.

This data element is also known by these names:

Context	Alias
plural	PREGNANCY STATUS INDICATORS

PREGNANCY STATUS INDICATOR

Change to Data Element: New Data Element

PREGNANCY STATUS INDICATOR

Attribute:

PREGNANCY STATUS

REGION OF COUNTRY CODE FOR FEMALE GENITAL MUTILATION (ORIGIN)

Change to Data Element: New Data Element

Format/Length:	an5
HES Item:	
National Codes:	See REGION OF COUNTRY CODE FOR FEMALE GENITAL MUTILATION DATA SET
Default Codes:	

Notes:

[REGION OF COUNTRY CODE FOR FEMALE GENITAL MUTILATION \(ORIGIN\)](#) is the same as attribute [REGION OF COUNTRY CODE FOR FEMALE GENITAL MUTILATION DATA SET](#) for the region of the country from which the [PATIENT](#) believes reflects their cultural heritage.

This data element is also known by these names:

Context	Alias
plural	REGION OF COUNTRY CODES FOR FEMALE GENITAL MUTILATION (ORIGIN)

REGION OF COUNTRY CODE FOR FEMALE GENITAL MUTILATION (ORIGIN)

Change to Data Element: New Data Element

REGION OF COUNTRY CODE FOR FEMALE GENITAL MUTILATION (ORIGIN)

Attribute:

REGION OF COUNTRY CODE FOR FEMALE GENITAL MUTILATION DATA SET

SOURCE OF REFERRAL FOR FEMALE GENITAL MUTILATION

Change to Data Element: New Data Element

Format/Length:	an2
HES Item:	
National Codes:	See SOURCE OF REFERRAL FOR FEMALE GENITAL MUTILATION
Default Codes:	

Notes:

[SOURCE OF REFERRAL FOR FEMALE GENITAL MUTILATION](#) is the same as attribute [SOURCE OF REFERRAL FOR FEMALE GENITAL MUTILATION](#).

This data element is also known by these names:

Context	Alias
plural	SOURCES OF REFERRAL FOR FEMALE GENITAL MUTILATION

SOURCE OF REFERRAL FOR FEMALE GENITAL MUTILATION

Change to Data Element: New Data Element

SOURCE OF REFERRAL FOR FEMALE GENITAL MUTILATION

Attribute:

SOURCE OF REFERRAL FOR FEMALE GENITAL MUTILATION
--

For enquiries about this Change Request, please email information.standards@hscic.gov.uk

