

INTRAHEPATIC BILE DUCTS DATA SHEET (ICD10 C22.1)

UICC TNM 9th EDITION STAGING SUMMARY

Stage Group	T stage	N stage	M stage
Stage 0	Tis	N0	M0
Stage I	T1	N0	M0
Stage IA	T1a	N0	M0
Stage IB	T1b	N0	M0
Stage II	T2	N0	M0
Stage IIIA	T3	N0	M0
Stage IIIB	T4	N0	M0
	Any T	N1	M0
Stage IV	Any T	Any N	M1

TNM Clinical Classification

T – Primary Tumour

cTX	Primary tumour cannot be assessed
cT0	No evidence of primary tumour
cTis	Carcinoma in situ (intraductal tumour)
cT1	Solitary tumour with vascular invasion cT1a - Solitary tumour 5 cm or less in greatest dimension without vascular invasion cT1b - Solitary tumour more than 5 cm in greatest dimension without vascular invasion
cT2	Solitary tumour with intrahepatic vascular invasion or multiple tumours, with or without vascular invasion
cT3	Tumour perforating the visceral peritoneum
cT4	Tumour involving local extrahepatic structures by direct hepatic invasion

N – Regional Lymph Nodes

cNX	Regional lymph nodes cannot be assessed
cN0	No regional lymph node metastasis
cN1	Regional lymph node metastasis

For more detailed information regarding TNM staging, please see pages 85-86 of the UICC TNM 9 book

M – Distant Metastasis	
-------------------------------	--

cM0	No distant metastasis
------------	-----------------------

cM1	Distant metastasis
------------	--------------------

TNM Pathological Classification	
--	--

<i>The pT and pN categories correspond to the cT and cN categories</i>	
--	--

pN0	Histological examination of a regional lymphadenectomy specimen should ordinarily include 6 or more lymph nodes. If the regional lymph nodes are negative, but the number ordinarily examined is not met, classify as pN0
------------	---