

PANCREAS DATA SHEET (ICD10 C25)

UICC TNM 9th EDITION STAGING SUMMARY

Stage Group	T stage	N stage	M stage
Stage 0	Tis	N0	M0
Stage IA	T1	N0	M0
Stage IB	T2	N0	M0
Stage IIA	T3	N0	M0
Stage IIB	T1, T2, T3	N1	M0
Stage III	T1, T2, T3	N2	M0
	T4	Any N	M0
Stage IV	Any T	Any N	M1

TNM Clinical Classification

T – Primary Tumour

cTX Primary tumour cannot be assessed

cT0 No evidence of primary tumour

cTis Carcinoma in situ*

cT1 Tumour 2 cm or less in greatest dimension

cT1a - Tumour 0.5 cm or less in greatest dimension

cT1b - Tumour greater than 0.5 cm and no more than 1 cm in greatest dimension

cT1c - Tumour greater than 1 cm but no more than 2 cm in greatest dimension

cT2 Tumour more than 2 cm but no more than 4 cm in greatest dimension

cT3 Tumour more than 4 cm in greatest dimension

cT4 Tumour involves coeliac axis, superior mesenteric artery and/or common hepatic artery

Note

*Tis also includes the 'PanIN-III' classification

N – Regional Lymph Nodes	
---------------------------------	--

cNX	Regional lymph nodes cannot be assessed
cN0	No regional lymph node metastasis
cN1	Metastases in 1 to 3 regional lymph node(s)
cN2	Metastases in 4 or more regional lymph nodes

M – Distant Metastasis	
-------------------------------	--

cM0	No distant metastasis
cM1	Distant metastasis

TNM Pathological Classification	
--	--

<i>The pT and pN categories correspond to the cT and cN categories</i>	
--	--

pN0	Histological examination of a regional lymphadenectomy specimen should ordinarily include 12 or more lymph nodes. If the lymph nodes are negative, but the number ordinarily examined is not met, classify as pN0
------------	---