

CARCINOMA OF SKIN OF THE EYELID DATA SHEET (ICD10 C44.1)

UICC TNM 9th EDITION STAGING SUMMARY

Stage Group	T stage	N stage	M stage
Stage 0	Tis	N0	M0
Stage IA	T1	N0	M0
Stage IB	T2a	N0	M0
Stage IIA	T2b, T2c, T3	N0	M0
Stage IIB	T4	N0	M0
Stage IIIA	Any T	N1	M0
Stage IIIB	Any T	N2	M0
Stage IV	Any T	Any N	M1

TNM Clinical Classification	
T – Primary Tumour	
cTX	Primary tumour cannot be assessed
cT0	No evidence of primary tumour
cTis	Carcinoma in situ
cT1	Tumour 10 mm or less in greatest dimension cT1a - Not invading the tarsal plate or eyelid margin cT1b - Invades tarsal plate or eyelid margin cT1c - Involves full thickness of eyelid
cT2	Tumour >10 mm, but 20 mm or less in greatest dimension cT2a - Not invading the tarsal plate or eyelid margin cT2b - Invades the tarsal plate or eyelid margin cT2c - Involves full thickness of eyelid
cT3	Tumour > 20 mm in greatest dimension cT3a - Not invading the tarsal plate or eyelid margin cT3b - Invades tarsal plate or eyelid margin cT3c - Involves full thickness of eyelid
cT4	Any eyelid tumour that invades adjacent ocular, or orbital, or facial structures cT4a - Tumour invades ocular or intraorbital structures

	cT4b - Tumour invades (or erodes through) the bony walls of orbit or extends to paranasal sinuses or invades the lacrimal sac/nasolacrimal duct or brain
--	---

N – Regional Lymph Nodes

cNX	Regional lymph nodes cannot be assessed
cN0	No evidence of lymph node involvement
cN1	Metastasis in a single ipsilateral regional lymph node, 3 cm or less in greatest dimension
cN2	Metastasis in a single ipsilateral lymph node more than 3 cm in greatest dimension or in bilateral or contralateral lymph nodes or multiple ipsilateral lymph nodes

M – Distant Metastasis

M0	No distant metastasis
M1	Distant metastasis

TNM Pathological Classification

The pT and pN categories correspond to the cT and cN categories