

CARCINOMA OF LACRIMAL GLAND DATA SHEET (ICD10 C69.5)

UICC TNM 9th EDITION STAGING SUMMARY

No stage is at present recommended

TNM Clinical Classification	
T – Primary Tumour	
cTX	Primary tumour cannot be assessed
cT0	No evidence of primary tumour
cT1	Tumour 2 cm or less in greatest dimension, with or without extraglandular extension into the orbital soft tissue cT1a - No periosteal or bone involvement cT1b - Periosteal involvement without bone involvement cT1c - Bone involvement
cT2	Tumour more than 2 cm but not more than 4 cm in greatest dimension cT2a - No periosteal or bone involvement cT2b - Periosteal involvement without bone involvement cT2c - Bone involvement
cT3	Tumour more than 4 cm or with extraglandular extension into orbital soft tissue, including optic nerve, or globe cT3a - No periosteal or bone involvement cT3b - Periosteal involvement without bone involvement cT3c - Bone involvement
cT4	Tumour invades adjacent structures (sinuses, temporal fossa, pterygoid fossa, superior orbital fissure, cavernous sinus, and/or brain) cT4a - Not more than 2 cm in greatest dimension cT4b - More than 2 cm but not more than 4 cm in greatest dimension cT4c - More than 4 cm in greatest dimension
N – Regional Lymph Nodes	
cNX	Regional lymph nodes cannot be assessed
cN0	No regional lymph node metastasis
cN1	Regional lymph node metastasis

M – Distant Metastasis	
cM0	No distant metastasis
cM1	Distant metastasis

pTNM Pathological Classification
<i>The pT and pN categories correspond to the cT and cN categories.</i>