

# RHABDOMYOSARCOMA (CTYA) DATA SHEET

## IRS POST SURGICAL GROUP AND SITE PROGNOSIS CODE

For staging, please refer to the UICC TNM 9<sup>th</sup> Edition Soft Tissues Data Sheet

IRS Group	Classification
I	<ul style="list-style-type: none"> <li>- Localised disease, completely resected (regional nodes not involved)</li> <li>- Confined to muscle or organ of origin</li> <li>- Contiguous involvement with infiltration outside the muscle or organ of origin, as through fascial planes</li> </ul>
II	<ul style="list-style-type: none"> <li>- Grossly resected tumour with microscopic residual disease</li> <li>- No evidence of gross residual tumour; no evidence of regional node involvement</li> <li>- Regional disease, completely resected (regional nodes involved and/or extension of tumour into an adjacent organ); all tumour completely resected with no microscopic residual tumour</li> <li>- Regional disease with involved nodes, grossly resected, but with evidence of microscopic residual</li> </ul>
III	<ul style="list-style-type: none"> <li>- Incomplete resection or biopsy with gross residual disease</li> </ul>
IV	<ul style="list-style-type: none"> <li>- Distant metastatic disease present at onset (lung, liver, bones, bone marrow, brain, and distant muscle and nodes)</li> </ul>

**Favourable anatomic sites:** Orbit, head and neck (scalp, parotid, oral cavity, larynx, oropharynx, cheek, hypopharynx, thyroid, parathyroid, neck but excluding parameningeal tumours), genitourinary sites (excluding bladder and prostate tumours), gallbladder and bile ducts

**Unfavourable anatomic sites:** Bladder, prostate, extremity, parameningeal (middle ear, nasal cavity, paranasal sinuses including tumours that extend into the paranasal sinus, nasopharynx, infratemporal fossa/pterygopalatine and parapharyngeal area), trunk, retroperitoneum and all other sites not noted as favourable.